Hearing Research, 35 (1988) 285–286
Elsevier

Contents of Volume 35

No. 1

G. Ehret and M.M. Merzenich *(F.R.G., U.S.A.)*
Neuronal discharge rate is unsuitable for encoding sound intensity at the inferior-colliculus level *(HRR 01092)* 1

S. Ito, M. Hoke, C. Pantev and B. Lütkenhöner *(F.R.G.)*
Binaural interaction in brainstem auditory evoked potentials elicited by frequency-specific stimuli *(HRR 01093)* 9

J.A. Hasko and G.P. Richardson *(U.K.)*
The ultrastructural organization and properties of the mouse tectorial membrane matrix *(HRR 01094)* 21

J.C.M.J. De Groot and J.E. Veldman *(The Netherlands)*
Early effects of gentamicin on inner ear glycocalyx cytochemistry *(HRR 01095)* 39

V.M. Richards *(U.S.A.)*
Components of monaural envelope correlation perception *(HRR 01097)* 47

A.R. Cody and I.J. Russell *(U.K.)*
Acoustically induced hearing loss: Intracellular studies in the guinea pig cochlea *(HRR 01096)* 59

R.A. Lutfi *(U.S.A.)*
Complex interactions between pairs of forward maskers *(HRR 01100)* 71

W.C. Otto, R.D. Brown, L. Gage-White, S. Kupetz, M. Anniko, J.E. Penny and C.M. Henley *(U.S.A., Sweden)*
Effects of cisplatin and thiosulfate upon auditory brainstem responses of guinea pigs *(HRR 01098)* 79

G.D. Housley, C.H. Norris and P.S. Guth *(U.S.A.)*
Histamine and related substances influence neurotransmission in the semicircular canal *(HRR 01099)* 87

M.P. Osborne, S.D. Comis and J.O. Pickles *(U.K.)*
Further observations on the fine structure of tip links between stereocilia of the guinea pig cochlea *(HRR 01101)* 99

C. Erwall, B. Jansson, U. Friberg and H. Rask-Andersen *(Sweden)*
Subcellular changes in the endolymphatic sac after administration of hyperosmolar substances *(HRR 01102)* 109

No. 2, 3

K. Ohyama, A.N. Salt and R. Thalmann *(U.S.A.)*
Volume flow rate of perilymph in the guinea-pig cochlea *(HRR 01104)* 119

N.K. Woolf and A.F. Ryan *(U.S.A.)*
Contributions of the middle ear to the development of function in the cochlea *(HRR 01105)* 131

J. Santos-Sacchi and J.P. Dilger *(U.S.A.)*
Whole cell currents and mechanical responses of isolated outer hair cells *(HRR 01107)* 143

B.P. Oldfield *(Australia)*
The effect of temperature on the tuning and physiology of insect auditory receptors *(HRR 01106)* 151

0378-5955/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

P. Avan and J.P. Legouix *(France)*
Effect of elevated potassium concentration in the perilymph on the nonlinearity of cochlear microphonics in the guinea-pig cochlea *(HRR 01108)* 159

R.L. Winslow and M.B. Sachs *(U.S.A.)*
Single-tone intensity discrimination based on auditory-nerve rate responses in backgrounds of quiet, noise, and with stimulation of the crossed olivocochlear bundle *(HRR 01110)* 165

G. Joermann *(F.R.G.)*
Masked thresholds of auditory midbrain neurons in the frog *Rana ridibunda (HRR 01111)* 191

D.M. Freeman and T.F. Weiss *(U.S.A.)*
The role of fluid inertia in mechanical stimulation of hair cells *(HRR 01112)* 201

C. Köppl *(F.R.G.)*
Morphology of the basilar papilla of the bobtail lizard *Tiliqua rugosa (HRR 01114)* 209

E.A. Radionova *(U.S.S.R.)*
Off-responses in the auditory system in relation to the signal end phase and neuronal characteristic frequency *(HRR 01115)* 229

M.M. Henson and O.W. Henson, Jr. *(U.S.A.)*
Tension fibroblasts and the connective tissue matrix of the spiral ligament *(HRR 01116)* 237

D.R. Trune and A.A. Kiessling *(U.S.A.)*
Decreased protein synthesis in cochlear nucleus following developmental auditory deprivation. Use of vascular saline perfusion to improve small tissue sample analysis *(HRR 01117)* 259

Short Communications
A. Steinacker and L. Rojas *(U.S.A., Venezuela)*
Acetylcholine modulated potassium channel in the hair cell of the toadfish saccule *(HRR 01103)* 265

J.P. Campbell and M.M. Henson *(U.S.A.)*
Olivocochlear neurons in the brainstem of the mouse *(HRR 01109)* 271

D.R. Moore and N.E. Kowalchuk *(U.K.)*
An anomaly in the auditory brain stem projections of hypopigmented ferrets *(HRR 01113)* 275

Letters to the Editors
C.M. Hackney and D.N. Furness *(U.K.)*
Are the stereociliary tip linkages on outer hair cells in the guinea pig cochlea sensitive to chronic application of kanamycin? *(HRR 01118)* 279

M.P. Osborne, S.D. Comis and J.O. Pickles *(U.K.)*
Reply to C.M. Hackney and D.N. Furness *(HRR 0. 119)* 281

Contents of Volume 35 285

Author Index 287

Subject Index 289

Hearing Research, 35 (1988) 287–288
Elsevier

Author Index

Anniko, M., see Otto, W.C. (35) 79
Avan, P. and Legouix, J.P.
Effect of elevated potassium concentration in the perilymph on the nonlinearity of cochlear microphonics in the guinea-pig cochlea (35) 159

Brown, R.D., see Otto, W.C. (35) 79

Campbell, J.P. and Henson, M.M.
Olivocochlear neurons in the brainstem of the mouse (35) 271
Cody, A.R. and Russell, I.J.
Acoustically induced hearing loss: Intracellular studies in the guinea pig cochlea (35) 59
Comis, S.D., see Osborne, M.P. (35) 281
Comis, S.D., see Osborne, M.P. (35) 99

De Groot, J.C.M.J. and Veldman, J.E.
Early effects of gentamicin on inner ear glycocalyx cytochemistry (35) 39
Dilger, J.P., see Santos-Sacchi, J. (35) 143

Ehret, G. and Merzenich, M.M.
Neuronal discharge rate is unsuitable for encoding sound intensity at the inferior-colliculus level (35) 1
Erwall, C., Jansson, B., Friberg, U. and Rask-Andersen, H.
Subcellular changes in the endolymphatic sac after administration of hyperosmolar substances (35) 109

Freeman, D.M. and Weiss, T.F.
The role of fluid inertia in mechanical stimulation of hair cells (35) 201
Friberg, U., see Erwall, C. (35) 109
Furness, D.N., see Hackney, C.M. (35) 279

Gage-White, L., see Otto, W.C. (35) 79
Guth, P.S., see Housley, G.D. (35) 87

Hackney, C.M. and Furness, D.N.
Are the stereociliary tip linkages on outer hair cells in the guinea pig cochlea sensitive to chronic application of kanamycin? (35) 279
Hasko, J.A. and Richardson, G.P.
The ultrastructural organization and properties of the mouse tectorial membrane matrix (35) 21
Henley, C.M., see Otto, W.C. (35) 79
Henson, Jr., O.W., see Henson, M.M. (35) 237
Henson, M.M. and Henson, Jr., O.W.
Tension fibroblasts and the connective tissue matrix of the spiral ligament (35) 237
Henson, M.M., see Campbell, J.P. (35) 271
Hoke, M., see Ito, S. (35) 9
Housley, G.D., Norris, C.H. and Guth, P.S.
Histamine and related substances influence neurotransmission in the semicircular canal (35) 87

Ito, S., Hoke, M., Pantev, C. and Lütkenhöner, B.
Binaural interaction in brainstem auditory evoked potentials elicited by frequency-specific stimuli (35) 9

Jansson, B., see Erwall, C. (35) 109
Joermann, G.
Masked thresholds of auditory midbrain neurons in the frog *Rana ridibunda* (35) 191

Kiessling, A.A., see Trune, D.R. (35) 259
Köppl, C.
Morphology of the basilar papilla of the bobtail lizard *Tiliqua rugosa* (35) 209
Kowalchuk, N.E., see Moore, D.R. (35) 275
Kupetz, S., see Otto, W.C. (35) 79

Legouix, J.P., see Avan, P. (35) 159
Lutfi, R.A.
Complex interactions between pairs of forward maskers (35) 71
Lütkenhöner, B., see Ito, S. (35) 9

Merzenich, M.M., see Ehret, G. (35) 1
Moore, D.R. and Kowalchuk, N.E.
An anomaly in the auditory brain stem projections of hypopigmented ferrets (35) 275

Norris, C.H., see Housley, G.D. (35) 87

Ohyama, K., Salt, A.N. and Thalmann, R.
Volume flow rate of perilymph in the guinea-pig cochlea (35) 119
Oldfield, B.P.
The effect of temperature on the tuning and physiology of insect auditory receptors (35) 151
Osborne, M.P., Comis, S.D. and Pickles, J.O.
Further observations on the fine structure of tip links between stereocilia of the guinea pig cochlea (35) 99

0378-5955/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Osborne, M.P., Comis, S.D. and Pickles, J.O.
Reply to C.M. Hackney and D.N. Furness (35) 281
Otto, W.C., Brown, R.D., Gage-White, L., Kupetz, S., Anniko, M., Penny, J.E. and Henley, C.M.
Effects of cisplatin and thiosulfate upon auditory brainstem responses of guinea pigs (35) 79

Pantev, C., see Ito, S. (35) 9
Penny, J.E., see Otto, W.C. (35) 79
Pickles, J.O., see Osborne, M.P. (35) 281
Pickles, J.O., see Osborne, M.P. (35) 99

Radionova, E.A.
Off-responses in the auditory system in relation to the signal end phase and neuronal characteristic frequency (35) 229
Rask-Andersen, H., see Erwall, C. (35) 109
Richards, V.M.
Components of monaural envelope correlation perception (35) 47
Richardson, G.P., see Hasko, J.A. (35) 21
Rojas, L., see Steinacker, A. (35) 265
Russell, I.J., see Cody, A.R. (35) 59
Ryan, A.F., see Woolf, N.K. (35) 131

Sachs, M.B., see Winslow, R.L. (35) 165
Salt, A.N., see Ohyama, K. (35) 119
Santos-Sacchi, J. and Dilger, J.P.
Whole cell currents and mechanical responses of isolated outer hair cells (35) 143
Steinacker, A. and Rojas, L.
Acetylcholine modulated potassium channel in the hair cell of the toadfish saccule (35) 265

Thalmann, R., see Ohyama, K. (35) 119
Trune, D.R. and Kiessling, A.A.
Decreased protein synthesis in cochlear nucleus following developmental auditory deprivationUse of vascular saline perfusion to improve small tissue sample analysis (35) 259

Veldman, J.E., see De Groot, J.C.M.J. (35) 39

Weiss, T.F., see Freeman, D.M. (35) 201
Winslow, R.L. and Sachs, M.B.
Single-tone intensity discrimination based on auditory-nerve rate responses in backgrounds of quiet, noise, and with stimulation of the crossed olivocochlear bundle (35) 165
Woolf, N.K. and Ryan, A.F.
Contributions of the middle ear to the development of function in the cochlea (35) 131

Hearing Research, 35 (1988) 289–292
Elsevier

Subject Index

Acetylcholine
Frog; Hair cell; Antihistamines; Afferent; Semicircular canal (Housley, G.D. (35) 87)

Acetylcholine receptor
Fish saccule; Efferent synapse; Potassium channel (Steinacker, A. (35) 265)

Acoustically-induced hearing loss
Hair cell; Mammalian cochlea (Cody, A.R. (35) 59)

Actin
Stereocilium; Link; Hair cell; Transduction; Guinea pig (Osborne, M.P. (35) 99)

Additivity
Forward masking (Lutfi, R.A. (35) 71)

Afferent
Frog; Hair cell; Antihistamines; Semicircular canal; Acetylcholine (Housley, G.D. (35) 87)

Albino
Hearing; Projections; Cochlear nucleus; Colliculus, inferior (Moore, D.R. (35) 275)

Aminoglycoside cochleotoxicity
Cochlea; Glycocalyx; Glycoconjugates (De Groot, J.C.M.J. (35) 39)

Anatomy
Lizard; Ear; Basilar papilla; Micromechanics; Hair cell (Köppl, C. (35) 209)

Antihistamines
Frog; Hair cell; Afferent; Semicircular canal; Acetylcholine (Housley, G.D. (35) 87)

Auditory
Development; Cochlea; Cochlear potentials; Middle ear; Gerbil (Woolf, N.K. (35) 131)

Auditory brainstem response
Cisplatin; Thiosulfate; Ototoxicity; Hearing loss; Guinea pigs (Otto, W.C. (35) 79)

Auditory deprivation
Protein synthesis; Leucine; Saline perfusion; Brain; Cochlear nucleus (Trune, D.R. (35) 259)

Auditory receptor
Sensilla; Tuning; Temperature effects; Locust (Oldfield, B.P. (35) 151)

Basilar papilla
Lizard; Ear; Anatomy; Micromechanics; Hair cell (Köppl, C. (35) 209)

Binaural difference potential
Binaural interaction; Brainstem auditory evoked potential; Frequency specificity (Ito, S. (35) 9)

Binaural interaction
Binaural difference potential; Brainstem auditory evoked potential; Frequency specificity (Ito, S. (35) 9)

Brain
Protein synthesis; Leucine; Saline perfusion; Cochlear nucleus; Auditory deprivation (Trune, D.R. (35) 259)

Brainstem auditory evoked potential
Binaural interaction; Binaural difference potential; Frequency specificity (Ito, S. (35) 9)

Cat
Inferior colliculus; Rate-intensity functions; Intensity coding (Ehret, G. (35) 1)

Cationic stains
Tectorial membrane; Matrix structure; Tannic acid (Hasko, J.A. (35) 21)

Cisplatin
Thiosulfate; Ototoxicity; Hearing loss; Auditory brainstem response; Guinea pigs (Otto, W.C. (35) 79)

Cochlea
Glycocalyx; Aminoglycoside cochleotoxicity; Glycoconjugates (De Groot, J.C.M.J. (35) 39)

perilymph; ion-selective electrode (Ohyama, K. (35) 119)

Auditory; Development; Cochlear potentials; Middle ear; Gerbil (Woolf, N.K. (35) 131)

Hair cell; Hair bundle; Micromechanics; Cochlear fluids (Freeman, D.M. (35) 201)

Spiral ligament; Fibroblast; Contractile proteins (Henson, M.M. (35) 237)

0378-5955/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Cochlear efferents
Superior olive; Mouse (Campbell, J.P. (35) 271)

Cochlear fluids
Cochlea; Hair cell; Hair bundle; Micromechanics (Freeman, D.M. (35) 201)

Cochlear mechanics
Off-response; Monaural phase sensitivity; Hearing (Radionova, E.A. (35) 229)

Cochlear microphonics
Nonlinearity; Perilymph; Potassium; Hair cell motility (Avan, P. (35) 159)

Cochlear nucleus
Protein synthesis; Leucine; Saline perfusion; Brain; Auditory deprivation (Trune, D.R. (35) 259)

Albino; Hearing; Projections; Colliculus, inferior (Moore, D.R. (35) 275)

Cochlear potentials
Auditory; Development; Cochlea; Middle ear; Gerbil (Woolf, N.K. (35) 131)

Colliculus, inferior
Albino; Hearing; Projections; Cochlear nucleus (Moore, D.R. (35) 275)

Comodulation masking release
Envelope; Power spectrum (Richards, V.M. (35) 47)

Contractile proteins
Cochlea; Spiral ligament; Fibroblast (Henson, M.M. (35) 237)

Crossed olivocochlear bundle
Dynamic range; Intensity discrimination (Winslow, R.L. (35) 165)

Development
Auditory; Cochlea; Cochlear potentials; Middle ear; Gerbil (Woolf, N.K. (35) 131)

Dynamic range
Intensity discrimination; Crossed olivocochlear bundle (Winslow, R.L. (35) 165)

Ear
Lizard; Basilar papilla; Anatomy; Micromechanics; Hair cell (Köppl, C. (35) 209)

Efferent synapse
Fish saccule; Acetylcholine receptor; Potassium channel (Steinacker, A. (35) 265)

Endolymphatic sac
Glycerol; Urea; Mannitol; Ultrastructure (Erwall, C. (35) 109)

Envelope
Comodulation masking release; Power spectrum (Richards, V.M. (35) 47)

Fibroblast
Cochlea; Spiral ligament; Contractile proteins (Henson, M.M. (35) 237)

Fish saccule
Acetylcholine receptor; Efferent synapse; Potassium channel (Steinacker, A. (35) 265)

Forward masking
Additivity (Lutfi, R.A. (35) 71)

Frequency specificity
Binaural interaction; Binaural difference potential; Brainstem auditory evoked potential (Ito, S. (35) 9)

Frog
Hair cell; Antihistamines; Afferent; Semicircular canal; Acetylcholine (Housley, G.D. (35) 87)

Torus semicircularis; Noise; Masking (Joermann, G. (35) 191)

Gerbil
Auditory; Development; Cochlea; Cochlear potentials; Middle ear (Woolf, N.K. (35) 131)

Glycerol
Endolymphatic sac; Urea; Mannitol; Ultrastructure (Erwall, C. (35) 109)

Glycocalyx
Cochlea; Aminoglycoside cochleotoxicity; Glycoconjugates (De Groot, J.C.M.J. (35) 39)

Glycoconjugates
Cochlea; Glycocalyx; Aminoglycoside cochleotoxicity (De Groot, J.C.M.J. (35) 39)

Guinea pig
Stereocilium; Link; Actin; Hair cell; Transduction (Osborne, M.P. (35) 99)

Guinea pigs
Cisplatin; Thiosulfate; Ototoxicity; Hearing loss; Auditory brainstem response (Otto, W.C. (35) 79)

Hair bundle
Cochlea; Hair cell; Micromechanics; Cochlear fluids (Freeman, D.M. (35) 201)

Hair cell
Mammalian cochlea; Acoustically-induced hearing loss (Cody, A.R. (35) 59)

Frog; Antihistamines; Afferent; Semicircular canal; Acetylcholine (Housley, G.D. (35) 87)

Stereocilium; Link; Actin; Transduction; Guinea pig (Osborne, M.P. (35) 99)

Cochlea; Hair bundle; Micromechanics; Cochlear fluids (Freeman, D.M. (35) 201)

Lizard; Ear; Basilar papilla; Anatomy; Micromechanics (Köppl, C. (35) 209)

Hair cell motility
Cochlear microphonics; Nonlinearity; Perilymph; Potassium (Avan, P. (35) 159)

Hearing
Off-response; Monaural phase sensitivity; Cochlear mechanics (Radionova, E.A. (35) 229)

Albino; Projections; Cochlear nucleus; Colliculus, inferior (Moore, D.R. (35) 275)

Hearing loss
Cisplatin; Thiosulfate; Ototoxicity; Auditory brainstem response; Guinea pigs (Otto, W.C. (35) 79)

Inferior colliculus
Rate-intensity functions; Intensity coding; Cat (Ehret, G. (35) 1)

Intensity coding
Inferior colliculus; Rate-intensity functions; Cat (Ehret, G. (35) 1)

Intensity discrimination
Dynamic range; Crossed olivocochlear bundle (Winslow, R.L. (35) 165)

Ion-selective electrode
Cochlea; perilymph (Ohyama, K. (35) 119)

Leucine
Protein synthesis; Saline perfusion; Brain; Cochlear nucleus; Auditory deprivation (Trune, D.R. (35) 259)

Link
Stereocilium; Actin; Hair cell; Transduction; Guinea pig (Osborne, M.P. (35) 99)

Lizard
Ear; Basilar papilla; Anatomy; Micromechanics; Hair cell (Köppl, C. (35) 209)

Locust
Auditory receptor; Sensilla; Tuning; Temperature effects (Oldfield, B.P. (35) 151)

Mammalian cochlea
Hair cell; Acoustically-induced hearing loss (Cody, A.R. (35) 59)

Mannitol
Endolymphatic sac; Glycerol; Urea; Ultrastructure (Erwall, C. (35) 109)

Masking
Torus semicircularis; Frog; Noise (Joermann, G. (35) 191)

Matrix structure
Tectorial membrane; Cationic stains; Tannic acid (Hasko, J.A. (35) 21)

Membrane current
Outer hair cell; Whole cell voltage clamp; OHC mechanical movements (Santos-Sacchi, J. (35) 143)

Micromechanics
Cochlea; Hair cell; Hair bundle; Cochlear fluids (Freeman, D.M. (35) 201)

Lizard; Ear; Basilar papilla; Anatomy; Hair cell (Köppl, C. (35) 209)

Middle ear
Auditory; Development; Cochlea; Cochlear potentials; Gerbil (Woolf, N.K. (35) 131)

Monaural phase sensitivity
Off-response; Cochlear mechanics; Hearing (Radionova, E.A. (35) 229)

Mouse
Superior olive; Cochlear efferents (Campbell, J.P. (35) 271)

Noise
Torus semicircularis; Frog; Masking (Joermann, G. (35) 191)

Nonlinearity
Cochlear microphonics; Perilymph; Potassium; Hair cell motility (Avan, P. (35) 159)

Off-response
Monaural phase sensitivity; Cochlear mechanics; Hearing (Radionova, E.A. (35) 229)

OHC mechanical movements
Outer hair cell; Whole cell voltage clamp; Membrane current (Santos-Sacchi, J. (35) 143)

Ototoxicity
Cisplatin; Thiosulfate; Hearing loss; Auditory brainstem response; Guinea pigs (Otto, W.C. (35) 79)

Outer hair cell
Whole cell voltage clamp; Membrane current; OHC mechanical movements (Santos-Sacchi, J. (35) 143)

Perilymph
Cochlea; ion-selective electrode (Ohyama, K. (35) 119)

Perilymph
Cochlear microphonics; Nonlinearity; Potassium; Hair cell motility (Avan, P. (35) 159)

Potassium
Cochlear microphonics; Nonlinearity; Perilymph; Hair cell motility (Avan, P. (35) 159)

Potassium channel
Fish saccule; Acetylcholine receptor; Efferent synapse (Steinacker, A. (35) 265)

Power spectrum
Comodulation masking release; Envelope (Richards, V.M. (35) 47)

Projections
Albino; Hearing; Cochlear nucleus; Colliculus, inferior (Moore, D.R. (35) 275)

Protein synthesis
Leucine; Saline perfusion; Brain; Cochlear nucleus; Auditory deprivation (Trune, D.R. (35) 259)

Rate-intensity functions
Inferior colliculus; Intensity coding; Cat (Ehret, G. (35) 1)

Saline perfusion
Protein synthesis; Leucine; Brain; Cochlear nucleus; Auditory deprivation (Trune, D.R. (35) 259)

Semicircular canal
Frog; Hair cell; Antihistamines; Afferent; Acetylcholine (Housley, G.D. (35) 87)

Sensilla
Auditory receptor; Tuning; Temperature effects; Locust (Oldfield, B.P. (35) 151)

Spiral ligament
Cochlea; Fibroblast; Contractile proteins (Henson, M.M. (35) 237)

Stereocilium
Link; Actin; Hair cell; Transduction; Guinea pig (Osborne, M.P. (35) 99)

Superior olive
Cochlear efferents; Mouse (Campbell, J.P. (35) 271)

Tannic acid
Tectorial membrane; Matrix structure; Cationic stains (Hasko, J.A. (35) 21)

Tectorial membrane
Matrix structure; Cationic stains; Tannic acid (Hasko, J.A. (35) 21)

Temperature effects
Auditory receptor; Sensilla; Tuning; Locust (Oldfield, B.P. (35) 151)

Thiosulfate
Cisplatin; Ototoxicity; Hearing loss; Auditory brainstem response; Guinea pigs (Otto, W.C. (35) 79)

Torus semicircularis
Frog; Noise; Masking (Joermann, G. (35) 191)

Transduction
Stereocilium; Link; Actin; Hair cell; Guinea pig (Osborne, M.P. (35) 99)

Tuning
Auditory receptor; Sensilla; Temperature effects; Locust (Oldfield, B.P. (35) 151)

Ultrastructure
Endolymphatic sac; Glycerol; Urea; Mannitol (Erwall, C. (35) 109)

Urea
Endolymphatic sac; Glycerol; Mannitol; Ultrastructure (Erwall, C. (35) 109)

Whole cell voltage clamp
Outer hair cell; Membrane current; OHC mechanical movements (Santos-Sacchi, J. (35) 143)

293

J.P. Campbell and M.M. Henson (U.S.A.)
Olivocochlear neurons in the brainstem of the mouse *(HRR 01109)* 271

D.R. Moore and N.E. Kowalchuk (U.K.)
An anomaly in the auditory brain stem projections of hypopigmented ferrets *(HRR 01113)* 275

Letters to the Editors
C.M. Hackney and D.N. Furness (U.K.)
Are the stereociliary tip linkages on outer hair cells in the guinea pig cochlea sensitive to chronic application of kanamycin? *(HRR 01118)* 279

M.P. Osborne, S.D. Comis and J.O. Pickles (U.K.)
Reply to C.M. Hackney and D.N. Furness *(HRR 01119)* 281

Contents of Volume 35 285

Author Index 287

Subject Index 289